

Dr. Tkach: Most Commonly Used ICD-10 Codes 2015 10th draft 8/28/15
 Compacted version. Print this. Use this. www.bozemanskinclinic.com

| Diagnosis | Alphanumeric | Tabular Code | Comments |
|--|--------------|------------------------------|----------|
| | | | |
| Abrasions: ICD-10 treats these as "encounters". You must add 7th character A, D, S. (where the "?" is) There are too many codes to list all. | | | |
| Abrasion, right ear | S00.411? | S00.411? | |
| Abrasion, left ear | S00.412? | S00.412? | |
| Abrasion, face | S00.81X? | S00.81X? | |
| Abrasion, chest | S20.31X? | S20.31X? | |
| Abrasion, upper back | S20.41X? | S20.41X? | |
| Abrasion, lower back | S30.810? | S30.810? | |
| Abrasion, abdomen | S30.811? | S38.811? | |
| Abrasion, right elbow | S50.311? | S50.311? | |
| Abrasion, left elbow | S50.312? | S50.312 | |
| Abrasion, right upper arm | S40.811? | S40.811? | |
| Abrasion, left upper arm | S40.812? | S40.812? | |
| Abrasion, right forearm | S50.811? | S50.811? | |
| Abrasion, left forearm | S50.812? | S50.812? | |
| Abrasion, right hand | S60.511? | S60.511? | |
| Abrasion, left hand | S60.512? | S60.512? | |
| Abrasion, right knee | S80.211? | S80.211? | |
| Abrasion, left knee | S80.212? | S80.212? | |
| Abrasion, right upper leg | S70.311? | S70.311? | |
| Abrasion, left upper leg | S70.312? | S70.312? | |
| Abrasion, right lower leg | S80.811? | S80.811? | |
| Abrasion, left lower leg | S80.812? | S80.812? | |
| | | | |
| Abscess, cutaneous: carbuncle, furuncle | | | |
| List this code first and then add organism (B95-96) | | | |
| Staph aureus, not MRSA B95.62 | | Strep Group A B95.0 | |
| Staph aureus MRSA B95.61 | | Strep Group B B95.1 | |
| Other Staph B95.7 | | Pseudomonas aeruginosa B96.5 | |
| Abscess, face | L02.01 | L02.01 | |
| Abscess, neck | L02.11 | L02.11 | |
| Abscess, abdominal wall | L02.211 | L02.211 | |
| Abscess, back | L02.212 | L02.212 | |
| Abscess, chest | L02.213 | L02.213 | |
| Abscess, groin | L02.214 | L02.214 | |
| Abscess, perineum | L02.215 | L02.215 | |
| Abscess, umbilicus | L02.216 | L02.216 | |
| Abscess, trunk | L02.219 | L02.219 | |
| Abscess, buttock | L02.31 | L02.31 | |
| Abscess, right axilla | L02.411 | L02.411 | |
| Abscess, left axilla | L02.412 | L02.412 | |
| Abscess, right arm | L02.413 | L02.413 | |
| Abscess, left arm | L02.414 | L02.414 | |

| Diagnosis | Alphanumeric | Tabular Code | Comments |
|--|--------------|--------------|--|
| Abscess, right leg | L02.415 | L02.415 | |
| Abscess, left leg | L02.416 | L02.4.16 | |
| Abscess, right hand | L02.511 | L02.511 | |
| Abscess, left hand | L02.512 | L02.512 | |
| Abscess, right foot | L02.611 | L02.611 | |
| Abscess, left foot | L02.612 | L02.612 | |
| Abscess, head except face | L02.811 | L02.811 | |
| Abscess, other sites | L02.818 | L02.818 | |
| | | | |
| Acanthosis nigricans | L83 | L83 | |
| Acne Conglobata | L70.1 | L70.1 | |
| Acne, Cystic | L70.0 | L70.0 | |
| Acne, Excoriated | L70.5 | L70.5 | |
| Acne Necrotica Miliaris | L70.2 | L70.2 | |
| Acne, Neonatal | L70.4 | L70.4 | |
| Acne Rosacea | L71.9 | L71.9 | |
| Acne, Tropical | L70.3 | L70.3 | |
| Acne Vulgaris | L70.0 | L70.0 | |
| Acrodermatitis atrophicans chronica | L90.4 | L90.4 | |
| Acrodermatitis continua of Hallopeau | L40.2 | L40.2 | |
| Acrochordon, Skin Tags, epidermal thickening, unspecified | L85.9 | L85.2 | |
| | | | |
| Actinic Keratoses | L57.0 | L57.0 | |
| Adiposis dolorosa, Dercum's disease | E88.2 | E88.2 | |
| Adverse Drug Eruption or Reaction to drugs taken internally | | | |
| Generalized skin Eruption or Reaction to drugs taken internally L27.0 | | | |
| Adverse Drug eruption or reaction internal drug | L27.0 | L27.0 | Identify drug T36-T50 with 5 th or 6 th character |
| Adverse Drug eruption or reaction internal drug, localized | L27.1 | L27.1 | Identify drug T36-T50 with 5 th or 6 th character |
| Alopecia, anagen effluvium | L65.1 | L65.1 | |
| Alopecia, androgenic | L64.9 | L64.9 | |
| Alopecia areata | L63.0 | L63.0 | |
| Alopecia areata, totalis | L63.1 | L63.1 | |
| Alopecia areata, universalis | L63.2 | L63.2 | |
| | | | |
| Alopecia, drug induced | L64.0 | L64.0 | Identify drug (T36-T50) Drug table |
| Alopecia, drug induced, cytotoxic NEC | L65.8 | L65.8 | Identify drug (T36-T50) Drug table |
| | | | |
| Alopecia, post partum | L65.0 | L65.0 | |

| Diagnosis | Alphanumeric | Tabular Code | Comments |
|---|--------------|--------------|--------------------------------|
| | | | |
| Alopecia, scarring | L66.9 | L66.9 | |
| Alopecia, telogen effluvium | L65.0 | L65.0 | |
| | | | |
| Anagen Effluvium | L65.1 | L65.1 | |
| Angioma, skin | D18.01 | D18.01 | |
| Angioneurotic edema | T78.3 | T78.3 | Need 7 th character |
| Apocrine hydrocystoma, face | D36.7 | D36.7 | |
| Apocrine hydrocystoma, lower eyelid | D36.7 | D36.7 | No code for this. Use face |
| Asteatotic eczema | L85.3 | L85.3 | |
| | | | |
| | | | |
| Atopic Dermatitis | L20 | L20 | |
| Dermatitis, atopic, other | L20.89 | L20.89 | |
| | | | |
| Atypical fibroxanthoma: Neoplasm, connective: UB or malignant (neoplasms p.9-12) | | | |
| Atypical fibroxanthoma malignant: Face | C49.0 | C49.0 | |
| Atypical fibroxanthoma malignant: ear | C49.0 | C49.0 | |
| Atypical fibroxanthoma malignant: Chest | C49.0 | C49.0 | |
| | | | |
| B | | | |
| Balanitis xerotica obliterans | N48.1 | N48.1 | |
| | | | |
| Basal Cell CA, Skin (BCCA): | | | |
| BCCA, right arm & shoulder | C44.612 | 44.612 | |
| BCCA, left arm & shoulder | C44.619 | C44.619 | |
| | | | |
| BCCA, lip | C44.01 | C44.01 | |
| BCCA, right eyelid & canthus | C44.112 | C44.112 | |
| BCCA, left eyelid & canthus | C44.119 | C44.119 | |
| BCCA, right ear | C44.212 | C44.212 | |
| BCCA, left ear | C44.219 | C44.219 | |
| | | | |
| BCCA, other parts of face | C44.319 | C44.319 | |
| BCCA, right leg & hip | C44.712 | C44.712 | |
| BCCA, left leg and hip | C44.719 | C44.719 | |
| BCCA, trunk | C44.519 | C44.519 | |
| BCCA overlapping sites | C44.81 | C44.81 | |
| | | | |
| BCCA, nose | C44.311 | C44.311 | |
| | | | |
| | | | |
| BCCA, scalp & neck | C44.41 | C44.41 | |

| Diagnosis | Alphanumeric | Tabular Code | Comments |
|--|-------------------------------|-------------------------------|--|
| Basal Cell Nevus Syndrome | Q89.8 | Q89.8 | |
| Bite, site, insect, non-venomous | | | |
| Bite, insect, abdominal wall | S31.159? S30.861 OK | S31.159? S30.861 OK | |
| Bite, insect, ankle | S90.561 (right) | S90.561(right) | |
| Bite, insect, ankle | S90.562 (left) | S90.562 (left) | |
| Bite, insect, upper arm | S40.861 (right) | S40.861(right) | |
| Bite, insect, upper arm | S40.862 (left) | S40.862 (left) | |
| Bite, insect, forearm | S50.861 (right) | S50.861(right) | |
| Bite, insect, forearm | S50.862 (left) | S50.862 (left) | |
| Bite, insect, lower back, pelvis | S30.860 | S30.860 | |
| Bite, insect, buttock | S30.860 | S30.860 | |
| Bite, insect, cheek | S00.86- | S00.86- | |
| Bite, insect, | | | |
| Bite, insect, finger, index | S60.460 (right) | S60.460(right) | |
| Bite, insect, finger, index | S60.461 (left) | S60.461 (left) | |
| Bite, insect, finger,middle | S60.462 (right) | S60.462(right) | |
| Bite, insect, finger,middle | S60.463 (left) | S60.463 (left) | |
| Bite, insect, finger, ring | S60.464 (right) | S60.464(right) | |
| Bite, insect, finger, ring | S60.465 (left) | S60.465 (left) | |
| Bite, insect, finger, little | S60.466 (right) | S60.466(right) | |
| Bite, insect, finger, little | S60.467 (left) | S60.467 (left) | |
| Bite, insect, finger, unspecified | S60.469 | S60.469 | |
| Bite, insect, | | | |
| Bite, insect, | | | |
| Bite, insect, | | | |
| Bite, insect, | | | |
| | | | |
| | | | |
| Black Hairy Tongue | K14.3 | K14.3 | Add: ETOH use Z72.0, Hx tobacco use Z87.891 |
| Burns: Extremely complicated, too complicated to list all here. Must contain these: | | | |
| 1. Location (tabular T20-T32 avoid T30 unspecified) 2. Depth (1st degree erythema, 2nd degree blisters, 3rd degree Full thickness) 3. Extent 4. Cause (x-code, E-Index file) 7th character required | | | |
| Burns, forehead, electric curling iron <10% (Use all three codes) | | | |
| " 1 st degree | T20.16X? T31.0XX? X15.8 | T20.16X? T31.0XX? X15.8 | |
| " 2 nd degree | T20.26X? T31.0XX? X15.8 | T20.26X? T31.0XX? X15.8 | |
| " 3 rd degree | T20.36X? T31.0XX? X15.8 | T20.36X? T31.0XX? X15.8 | |
| Sunburn: different rules | | | |

| Diagnosis | Alphanumeric | Tabular Code | Comments |
|--|---------------------|---------------------|----------------------------|
| Sunburn, 1 st degree | L55.0 | L55.0 | |
| Sunburn, 2 nd degree | L55.1 | L55.1 | |
| Sunburn, 3 rd degree | L55.2 | L55.2 | |
| | | | |
| C | | | |
| Callus | L84 | L84 | |
| Café au lait spots | L81.3 | L81.3 | |
| Candidiasis | | | |
| | | | |
| Candida stomatitis, thrush | B37.0 | B37.0 | |
| | | | |
| Candidiasis of skin and Nail & paronychia | B37.2 | B37.2 | Excludes diaper dermatitis |
| | | | |
| Candida of vulva & vagina | B37.3 | B37.3 | |
| | | | |
| Candidal intertrigo | B37.2 | B37.2 | |
| | | | |
| Candida of lips, Cheilitis | B37.83 | B37.83 | |
| Candida of mouth, thrush | B37.0 | B37.0 | |
| Cellulitis of abdominal skin | L03.311 | L03.311 | |
| Cellulitis of back | L03.312 | L03.312 | |
| Cellulitis of buttock | L03.217 | L03.217 | |
| | | | |
| Cellulitis of chest | L03.313 | L03.313 | |
| | | | |
| Cellulitis of face | L03.211 | L03.211 | |
| Cellulitis of groin | L03.214 | L03.214 | |
| Cellulitis of perineum | L03.215 | L03.215 | |
| | | | |
| Cherry Angioma, skin | D18.01 | D18.01 | |
| Chloasma, melasma | L81.1 | L81.1 | |
| | | | |
| Chondrodermatitis Nodularis helicis, right | H61.001 | H61.001 | |
| Chondrodermatitis Nodularis helicis, left | H61.002 | H61.002 | |
| Chondrodermatitis Nodularis helicis, bilateral | H61.003 | H61.003 | |
| | | | |
| Condyloma acuminatum | A63.0 | A63.0 | |
| | | | |
| | | | |
| Contact dermatitis, allergic | L23.9 | L23.9 | |
| ""metals: nickel, chromium | L23.0 | L23.0 | |
| ""adhesives | L23.1 | L23.1 | |
| ""cosmetics | L23.2 | L23.2 | |

| Diagnosis | Alphanumeric | Tabular Code | Comments |
|--|--------------|------------------|--|
| """"drugs | L23.3 | L23.3 | Identify drug (T36-T50 with 5 th /6 th character) |
| e.g. benzocaine topical allergic reaction | | L23.3, T41.3X5 | Enter both codes with L23.23 first |
| """"dyes | L23.4 | L23.4 | |
| """"other chemicals: cement,insecticide,plasticrubber | L23.5 | L23.5 | |
| """"food | L23.6 | L23.6 | |
| """"plants-not food or pollen (J30.1) | L23.7 | L23.7 | not food or pollen (J30.1) |
| """"Due to other agents animal dander | L23.81 | 23.81 | |
| """"Due to other agents | L23.89 | L23.89 | |
| """"Due to other agents, allergic contact eczema unspecified cause | L23.9 | L23.9 | |
| | | | |
| | | | |
| | | | |
| | | | |
| Contact dermatitis, irritant | L24.9 L24 | L24.9 L24 | |
| """" Detergents | L24.0 | L24.0 | |
| """" Oils & greases | L24.1 | L24.1 | |
| """" Strong solvents | L24.2 | L24.2 | |
| """" Cosmetics | L24.3 | L24.3 | |
| """" Drugs on Skin | L24.4 | L24.4 | Use drug name (T36-50 with 5 th or 6 th character) |
| e.g. 5-FU | L24.4 | L24.4 T45.1X5 | Use both starting with L24.4 |
| """" other chemical products, cement, insecticide, plastic, rubber | L24.5 | L24.5 | |
| """" Topical food | L24.6 | L24.6 | Excludes ingested food L27.2 |
| """" Plants except food | L24.7 | L24.7 | Excludes pollen(L27.2) |
| """" Other agents | L24.8 | L24.8 | |
| """" metals: Ni, Cr | L24.81 | L24.81 | |
| """" other agents, dyes | L24.89 | L24.89 | |
| | | | |
| | | | |
| Cutaneous Horn | L85.8 | L85.8 | |
| Cutaneous larva migrans | B76.9 | B76.9 | |
| Cyst, Bartholin's | N75.0 | N75.0 | |
| Cyst, Bartholin's, abscess | N75.1 | N75.1 | |
| | | | |
| Cyst, epidermoid | L72.0 | L72.0 | |

| Diagnosis | Alphanumeric | Tabular Code | Comments |
|---|--------------|--------------|---|
| | | | |
| Cyst, pilar | L72.11 | L72.11 | |
| Cyst, Trichilemmal | L72.12 | L72.12 | |
| Cyst, Proliferating Trichilemmal | L72.12 | L72.12 | |
| | | | |
| | | | |
| D | | | |
| | | | |
| Dermatitis, atopic | L20 | L20 | |
| Dermatitis, atopic, other | L20.89 | L20.89 | |
| | | | |
| | | | |
| Dermatitis herpetiformis | L13.0 | L13.0 | Excludes juvenile (L12.2) & senile DH (L12.0) |
| Dermatosis | L96.9 | L96.9 | Try to be more specific. |
| | | | |
| Drug eruption or reaction internal drug, generalized | L27.0 | L27.0 | Identify drug T36-T50 with 5 th or 6 th character |
| Drug eruption or reaction internal drug, localized | L27.1 | L27.1 | Identify drug T36-T50 with 5 th or 6 th character |
| | | | |
| | | | |
| Drug Rash, eruption or reaction internal drug, generalized | L27.0 | L27.0 | Identify drug T36-T50 with 5 th or 6 th character |
| | | | |
| | | | |
| Dry skin, Xerosis | L85.3 | L85.3 | |
| | | | |
| E | | | |
| | | | |
| Epilides, Freckles | L81.2 | L81.2 | |
| | | | |
| | | | |
| Erythrasma | L08.1 | L08.1 | |
| | | | |
| Erysipelas- no code | | | |
| Excluded, medically | Z41.9 | Z41.9 | |
| Exfoliative erythroderma < 10% of body surface | L49.0 | L49.0 | Due to erythematous conditions |
| "" 10-19% | L49.1 | L49.1 | |
| "" 20-29% | L49.2 | L49.2 | |
| "" 30-39% | L49.3 | L49.3 | |
| "" 40-49% | L49.4 | L49.4 | |
| "" 50-59% | L49.5 | L49.5 | |

| Diagnosis | Alphanumeric | Tabular Code | Comments |
|---|--------------|--------------|---|
| "" 60-69% | L49.6 | L49.6 | |
| "" 70-79% | L49.7 | L49.7 | |
| "" 80-89% | L49.8 | L49.8 | |
| "" 90-99% | L49.9 | L49.9 | |
| | | | |
| F | | | |
| | | | |
| Factitial dermatitis | L98.1 | L98.1 | |
| | | | |
| Fissured, Scrotal Tongue, Plicated | K14.5 | K14.5 | |
| Fissure, skin | R23.4 | R23.4 | |
| Flushing of skin | R23.2 | R23.2 | If menopausal, code 1 st N95.1 |
| Folliculitis decalvans | L66.2 | | |
| Folliculitis, pustular | L01.02 | | |
| | | | |
| Pseudo folliculitis barbae | L73.1 | L73.1 | |
| | | | |
| Follicular disorders, other | L73.8 | L73.8 | |
| | | | |
| | | | |
| Freckles | L81.2 | L81.2 | |
| | | | |
| | | | |
| G | | | |
| | | | |
| Geographic tongue | K14.1 | K14.1 | |
| | | | |
| Glossitis | K14.0 | K14.0 | |
| Glossodynia | K14.8 | K14.8 | |
| | | | |
| Granuloma annulare | L92.0 | L92.0 | |
| | | | |
| | | | |
| H | | | |
| | | | |
| | | | |
| Hairy Tongue | K14.3 | K14.3 | Add: ETOH use Z72.0, Hx tobacco use Z87.891 |
| Hemangioma, skin | D18.01 | D18.01 | |
| Herpes simplex, face, lips, ears | B00.1 | B00.1 | Excludes genital herpes |
| Herpes simplex gingivostomatosis | B00.2 | B00.2 | Excludes genital herpes |
| Herpes simplex of penis | A60.01 | A60.01 | |
| Herpes simplex of vulvar | A60.04 | A60.04 | |
| Herpes simplex of perineum/rectum | A60.1 | A60.1 | |
| | | | |

| Diagnosis | Alphanumeric | Tabular Code | Comments |
|--------------------------------------|---------------------|---------------------|--|
| Herpesvirus whitlow | B00.89 | B00.89 | |
| | | | |
| Hidradenitis suppurativa | L73.2 | L73.2 | |
| | | | |
| Hyperhidrosis, axillae | L74.510 | L74.510 | |
| Hyperhidrosis, face | L74.511 | L74.511 | |
| Hyperhidrosis, palms | L74.512 | L74.512 | |
| Hyperhidrosis, soles | L74.513 | L74.513 | |
| Hyperkeratosis palmaris et plantaris | Q82.8 | Q82.8 | |
| | | | |
| Hypertrophic scar, keloid | L91.0 | L91.0 | Excludes acne L73.0 |
| Hypertrophic scar, keloid from acne | L73.0 | L73.0 | |
| | | | |
| I | | | |
| | | | |
| Ichthyosis vulgaris | Q80.0 | Q80.0 | |
| Ichthyosis, X-linked | Q80.1 | Q80.1 | |
| Ichthyosis, Lamellar | Q80.2 | Q80.2 | |
| Ichthyosis, harlequin fetus | Q80.4 | Q80.4 | |
| | | | |
| | | | |
| Impetigo | L01.0 | L01.0 | Use additional codes to identify germ B95-97 |
| Impetigo, non-bullous | L01.01 | L01.01 | Use additional codes to identify germ B95-97 |
| | | | |
| Impetiginized dermatosis | L01.1 | | Use additional codes to identify germ B95-97 |
| Impetigo of Bockhart | L01.02 | L01.02 | Use additional codes to identify germ B95-97 |
| | | | |
| Impetigo, bullous | L01.03 | L01.03 | Use additional codes to identify germ B95-97 |
| | | | |
| Impetigo, ulcerative | L01.09 | L01.09 | Use additional codes to identify germ B95-97 |
| | | | |
| Induration of skin | R23.4 | R23.4 | |
| Infectious eczematoid dermatitis | L01.1 | L01.1 | Use additional codes to identify germ B95-97 |
| | | | |
| Inframammary Candidiasis | B37.2 | B37.2 | |
| | | | |
| J | | | |
| | | | |
| | | | |

| Diagnosis | Alphanumeric | Tabular Code | Comments |
|---|---------------|---------------|---|
| K | | | |
| Kaposi's varicelliform eruption | B00.0 | B00.0 | |
| | | | |
| | | | |
| Keratosis pilaris, Lichen pilaris | Q82.8 | Q82.8 | |
| | | | |
| Keratosis palmaris et plantaris | Q82.8 | Q82.8 | |
| | | | |
| L | | | |
| Larva migrans, cutaneous | B76.9 | | |
| Leishmaniasis, cutaneous | B55.1 | B55.1 | |
| Lentigo | L81.4 | L81.4 | |
| Leukoplakia in mouth | K13.21 | K13.21 | |
| Lice, head | B85.0 | B85.0 | |
| Lice, body | B85.1 | B85.1 | |
| Lice, pubic | B85.3 | B85.3 | |
| Lichen Planus | L43 | L43 | Excludes lichen planopilaris L66.1 |
| Lichen planus, hypertrophic | L43.0 | L43.0 | |
| Lichenoid drug reaction | L43.2 | L43.0 | Also use T36-T50 with 5th or 6th character to identify cause |
| | | | |
| Lichen nitidus | L44.1 | L44.1 | |
| Lichen planopilaris | L66.1 | | |
| Lichen simplex chronicus | L28.0 | L28.0 | |
| Lichen striatus | L44.2 | L44.2 | |
| | | | |
| Lipoma, trunk | D17.1 | D17.1 | |
| Lipoma, right arm | D17.21 | D17.21 | |
| Lipoma, left arm | D17.22 | D17.22 | |
| Lipoma, right leg | D17.23 | D17.23 | |
| Lipoma, left leg | D17.24 | D17.24 | |
| Lupus erythematosus: If drug induced, add T36-T40 from Drug List | | | |
| Discoid L.E. | L93.0 | L93.0 | |
| Subacute Cutaneous LE | L93.1 | L93.1 | |
| Lymphadenopathy, localized enlarged node | R59.0 | R59.0 | |
| Lymphadenopathy, generalized | R59.1 | R59.1 | |
| | | | |
| M | | | |

| Diagnosis | Alphanumeric | Tabular Code | Comments |
|--|--------------|--------------|----------|
| | | | |
| Mastocytoma | D47.0 | D47.0 | |
| Mastocytosis | Q82.2 | Q82.2 | |
| Mastocytosis, systemic | Q82.2 | Q82.2 | |
| | | | |
| Medically unnecessary | Z41.8, Z41.9 | Z41.8, Z41.9 | |
| | | | |
| Melanoma, skin: ICD-10 separates invasive melanoma from in situ melanoma. May be listed as "malignant melanoma." | | | |
| Melanoma, invasive: ICD does not care what the Clark level is. May be listed as "malignant melanoma." | | | |
| Melanoma, invasive: lip | C43.0 | C43.0 | |
| Melanoma, invasive: right eyelid | C43.11 | C43.11 | |
| Melanoma, invasive: left eyelid | C43.12 | C43.12 | |
| Melanoma, invasive: right ear | C43.21 | C43.21 | |
| Melanoma, invasive: left ear | C43.22 | C43.22 | |
| Melanoma, invasive: nose | C43.31 | C43.31 | |
| Melanoma, invasive: face | C43.39 | C43.39 | |
| Melanoma, invasive: scalp and neck | C43.4 | C43.4 | |
| Melanoma, invasive: breast | C43.52 | C43.52 | |
| Melanoma, invasive: trunk | C43.59 | C43.59 | |
| Melanoma, invasive: right arm | C43.61 | C43.61 | |
| Melanoma, invasive: left arm | C43.62 | C43.62 | |
| Melanoma, invasive: right leg | C43.71 | C32.71 | |
| Melanoma, invasive: Left leg | C43.72 | C43.72 | |
| Melanoma, invasive: site unspecified | C43.9 | C43.9 | |
| Melanoma, invasive: | | | |
| Melanoma, invasive: | | | |
| Melanoma in situ: lip | D03.0 | D03.0 | |
| Melanoma in situ: right eyelid | D03.11 | D03.11 | |
| Melanoma in situ: left eyelid | D03.12 | D03.12 | |
| Melanoma in situ: right ear | D03.21 | D03.21 | |
| Melanoma in situ: left ear | D03.22 | D03.22 | |
| Melanoma in situ: face | D03.39 | D03.39 | |
| Melanoma in situ: scalp and neck | D03.4 | D03.4 | |
| Melanoma in situ: breast | D03.52 | D03.52 | |

| Diagnosis | Alphanumeric | Tabular Code | Comments |
|--|--------------|--------------|----------|
| Melanoma in situ: trunk | D03.59 | D03.59 | |
| Melanoma in situ: right arm | D03.61 | D03.61 | |
| Melanoma in situ: left arm | D03.62 | D03.62 | |
| Melanoma in situ: right leg | D03.71 | D03.71 | |
| Melanoma in situ: left leg | D03.72 | D03.72 | |
| Melanoma in situ: unspecified | D03.9 | D03.9 | |
| Melanoma in situ | | | |
| Melanoma in situ | | | |
| Melasma | L81.1 | L81.1 | |
| Merkel Cell Carcinoma: | | | |
| Merkel Cell Carcinoma: lip | C4A.0 | | |
| Merkel Cell Carcinoma: Right Eyelid | C4A.11 | | |
| Merkel Cell Carcinoma: Left | C4A.12 | | |
| Merkel Cell Carcinoma: face | C4A.30 | | |
| Merkel Cell Carcinoma: scalp and neck | C4A.4 | | |
| Merkel Cell Carcinoma: breast | C4A.52 | | |
| Merkel Cell Carcinoma: trunk | C4A.59 | | |
| | | | |
| Merkel Cell Carcinoma: Right arm | C4A.61 | | |
| Merkel Cell Carcinoma: Left arm | C4A.62 | | |
| Merkel Cell Carcinoma: right leg | C4A.71 | | |
| Merkel Cell Carcinoma: left leg | C4A.72 | | |
| Merkel Cell Carcinoma: site unspecified | C4A.9 | | |
| | | | |
| Milium (cyst epidermoid) | L72.0 | L72.0 | |
| | | | |
| | | | |
| Miliaria rubra | L74.0 | L74.0 | |
| Miliaria crystallina | L74.1 | L74.1 | |
| | | | |
| | | | |
| Melasma, Chloasma, | L81.1 | L81.1 | |
| | | | |
| | | | |
| Mucha Haberman disease-Pityriasis lichenoides et | L41.0 | L41.0 | |

| Diagnosis | Alphanumeric | Tabular Code | Comments |
|---|----------------|----------------|--|
| varioliiformis acuta | | | |
| | | | |
| Molluscum contagiosum | B08.1 | B08.1 | |
| Morphea, circumscribed | L94.0 | L94.0 | |
| Morphea, linear | L94.1 | L94.1 | |
| Myxoid cyst of the finger (focal mucinosis) | L98.5 | L98.5 | |
| N | | | |
| | | | |
| Nail disorders, ingrown nail | L60.0 | L60.0 | |
| Nail disorders, onycholysis | L60.1 | L60.1 | |
| Nail disorders, onychogryphosis | L60.2 | L60.2 | |
| Nail disorders, dystrophy | L60.3 | L60.3 | |
| Nail disorders, Beau's lines | L60.4 | L60.4 | |
| Nail disorders, Yellow nail syndrome | L60.5 | L60.5 | |
| Nail disorders, other nail disorders | L60.8 | L60.8 | |
| Nail disorders, onychoschizia | L60.3 | L60.3 | |
| Nail disorders, onychomalacia | L60.3 | L60.3 | |
| Nail disorders, onychomycosis | B35.1 | B35.1 | |
| Nail disorders, paronychion, right finger | L03.011 | L03.011 | |
| Nail disorders, paronychion, left finger | L03.012 | L03.012 | |
| Nail disorders, paronychion, right toe | L03.031 | L03.031 | |
| Nail disorders, paronychion, left toe | L03.032 | L03.032 | |
| | | | |
| Necrobiosis lipoidica diabetorum | L92.1 | L92.1 | Excludes diabetes associated NLD |
| Necrobiosis lipoidica diabetorum with diabetes | E08.620 | E08.620 | Use for diabetes complicated with any dermatosis |
| | | | |
| Nevi, melanocytic, benign: They want to know where it is and right or left. They are not interested in the type of melanocytic nevus D22 | | | |
| | | | |
| Neoplasm, skin: Starts on page 34 in the neoplasm table. Neoplasm, skin, NOS on page 34 is D23.9 benign C44.90 malignant | | | |
| | | | |
| Neoplasm, Skin, Uncertain behavior. One code fits all except genital | D48.5 | D48.5 | Excludes anus, breast genitalia, vermilion border lip |
| Neoplasm, Skin, Uncertain behavior, anus | D37.8 | D37.8 | |

| Diagnosis | Alphanumeric | Tabular Code | Comments |
|---|-------------------------------|-------------------------------|----------|
| Neoplasm, Skin, Uncertain behavior, genital | D39.8(female) S40.8 (male) | D39.8(female) S40.8 (male) | |
| Neoplasm, Skin, Uncertain behavior, vermilion border lip | D37.01 | D37.01 | |
| | | | |
| Neurotic excoriations | L98.1 | L98.1 | |
| | | | |
| Nevi, melanocytic, benign: They want to know where it is and right or left. They are not interested in the type of melanocytic nevus D22 | | | |
| | | | |
| Nevus, blue | | | |
| | | | |
| Nevus, melanocytic, Left ear | D22.22 | D22.22 | |
| Nevus, melanocytic, Left eyelid | D22.12 | D22.12 | |
| Nevus, melanocytic, Left lower leg | D22.72 | D22.72 | |
| Nevus, melanocytic, Left upper arm & shoulder | D22.62 | D22.62 | |
| Nevus, melanocytic, Lip | D22.0 | D22.0 | |
| Nevus, melanocytic, Left, other parts of face | D22.39 | D22.39 | |
| Nevus, melanocytic, scalp, neck | D22.4 | D22.4 | |
| Nevus, melanocytic, TRUNK, anus, breast | D22.5 | D22.5 | |
| Nevus, melanocytic, upper arm, shoulder | D22.60 | D22.60 | |
| Nevus, melanocytic, right upper arm, shoulder | D22.61 | D22.61 | |
| Nevus, melanocytic, left upper arm, shoulder | D22.62 | D22.62 | |
| Nevus, melanocytic, unspecified leg | D22.70 | D22.70 | |
| Nevus, melanocytic, right leg & hip | D22.71 | D22.71 | |
| Nevus, melanocytic, left leg & hip | D22.72 | D22.72 | |
| Nevus, melanocytic, unspecified | D22.9 | D22.9 | |
| | | | |
| Nevus flammeus | Q82.5 | Q82.5 | |
| | | | |
| Nevus, melanocytic, Right ear | D23.22 | D23.22 | |
| Nevus, melanocytic, Right eyelid | D23.12 | D23.12 | |
| Nevus, melanocytic, Right lower leg | D23.72 | D23.72 | |
| Nevus, melanocytic, Right | D23.62 | D23.62 | |

| Diagnosis | Alphanumeric | Tabular Code | Comments |
|---|--------------|--------------|--|
| upper arm & shoulder | | | |
| Nevus, melanocytic, Lip | D23.0 | D23.0 | Excludes vermilion border of lip D10.0 |
| Nevus, melanocytic, Right, other parts of face | D23.39 | D23.39 | |
| Nevus, melanocytic, Right ear | D23.22 | D23.22 | |
| | | | |
| Nummular dermatitis or eczema | L30.0 | L30.0 | |
| | | | |
| O | | | |
| | | | |
| | | | |
| Onychomycosis | B35.1 | B35.1 | Syn. Tinea Unguium |
| | | | |
| P | | | |
| | | | |
| Papular urticaria | L28.2 | L28.2 | Page 547 tabular also see bite, site, insect |
| Pediculosis, head | B85.0 | B85.0 | |
| Pediculosis, body | B85.1 | B85.1 | |
| Pediculosis, pubic | B85.3 | B85.3 | |
| | | | |
| Perioral Dermatitis | L71.0 | L71.0 | Go to T36-T50 if there's external cause, 5 or 6 characters |
| Perlèche, angular cheilitis, all forms except vit. Deficiency | B37.83 | B37.83 | |
| Personal History of Melanoma | Z85.820 | Z85.820 | |
| Personal History of non-melanoma skin cancer | Z85.825 | Z85.825 | |
| Personal History of Merkel cell cancer | Z85.821 | Z85.821 | |
| Pityriasis lichenoides et varioliformis acuta- Mucha Haberman disease | L41.0 | L41.0 | |
| Pityriasis lichenoides chronica | L41.1 | L41.1 | |
| | | | |
| Pityriasis rosea | L42 | L42 | |
| Pityriasis rubra pilaris PRP | L44.0 | | |
| Plicated, Scrotal Tongue, Fissured | K14.5 | K14.5 | |
| | | | |
| Porphyria, Erythropoietic protoporphyria | E80.0 | E80.0 | |
| Porphyria cutanea tarda | E80.1 | E80.1 | |
| Porphyria, acute intermittent | E80.21 | E80.21 | |

| Diagnosis | Alphanumeric | Tabular Code | Comments |
|---|-----------------|-----------------|--|
| porphyria | | | |
| Port-wine Nevus, stain | Q82.5 | Q82.5 | |
| Prurigo nodularis | L28.1 | L28.1 | |
| Pseudo folliculitis barbae | L73.1 | L73.1 | |
| Pseudopelade of Brocq | L66.0 | L66.0 | |
| Psoriasis vulgaris | L40.0 | L40.0 | |
| Psoriatic arthritis | L40.50 | L40.50 | |
| Psoriasis, guttate | L40.4 | | |
| Psoriasis, plaque | L40.0 | L40.0 | |
| Psoriasis, pustulosis palmaris et plantaris, pustular bacterid of Andrews | 40.3 | L40.3 | |
| Psoriasis, Von Zumbusch | L40.59 | L40.59 | |
| Punctate keratosis of palms and soles | L85.2 | L85.2 | |
| Purpura, allergic, (H-S) | D69.0 | D69.0 | |
| Purpura, idiopathic thrombocytopenic | D69.3 | D69.3 | |
| Purpura, senile, Bateman's | D69.2 | D69.2 | |
| Purpura, Schamberg's, Schamberg's disease, Progressive pigmentary purpura | L81.7 | L81.7 | |
| Purpura simplex | D69.2 | D69.2 | |
| Pustular bacterid of Andrews, Pustulosis palmaris et plantaris | L40.3 L08.89 | L40.3 L08.89 | There is no right answer. May need to use both. |
| Pustulosis palmaris et plantaris | L40.3 | L40.3 | |
| Q | | | |
| R | | | |
| Raynaud's Disease | I73.00 | I73.00 | |
| Rhinophyma | L71.1 | L71.1 | Go to T36-T50 if external cause, 5 or 6 characters |
| Rosacea | L71.9 | L71.9 | Go to T36-T50 if external |

| Diagnosis | Alphanumeric | Tabular Code | Comments |
|---|----------------------------------|----------------------------------|---------------------------------|
| | | | cause, 5 or 6 characters |
| | | | |
| S | | | |
| | | | |
| Scabies | B86 | B86 | |
| Scaling of skin | R23.4 | R23.4 | |
| Scar anywhere | L90.5 | L90.5 | |
| Scarlet Fever, scarlatina with no complications | A38.9 | A38.9 | |
| Schamberg's Purpura, Schamberg's disease, Progressive pigmentary purpura | L81.7 | L81.7 | |
| Scleroderma, systemic | M34.0 | M34.0 | |
| Scleroderma, circumscribed | L94.0 | L94.0 | |
| Scleroderma, linear | L94.1 | L94.1 | |
| Scrotal Tongue, Plicated, Fissured | K14.5 | K14.5 | |
| | | | |
| Sebaceous hyperplasia, benign | D23.30Use this D23.39 | D23.30Use this D23.39 | |
| Seborrheic dermatitis | L21 | L21 | |
| Seborrheic dermatitis, cradle cap | L21.0 | L21.0 | |
| | | | |
| Seborrheic dermatitis, infantile | L21.1 | L21.1 | |
| | | | |
| Seborrheic Keratosis, NOS | L82.1 | L82.1 | |
| Seborrheic Keratosis, irritated | L82.0 | L82.0 | |
| | | | |
| Skin Tags, epidermal thickening, unspecified | L85.9 | L85.9 | |
| | | | |
| Spider Nevus, nevus araneus | I78.1 | I78.1 | |
| | | | |
| Squamous Cell CA (SCCA) | C44.529 | C44.529 | |
| | | | |
| SCCA, right arm & shoulder | C44.622 | C44.622 | |
| SCCA, left arm & shoulder | C44.629 | C44.629 | |
| | | | |
| SCCA, right leg & hip | C44.722 | C44.722 | |
| SCCA, left leg & hip | C44.729 | C44.719 | |
| | | | |
| SCCA, Breast skin | C44.521 | C44.521 | |
| SCCA Right eyelid and | C44.122 | C44.122 | |

| Diagnosis | Alphanumeric | Tabular Code | Comments |
|---------------------------------|--------------|--------------|----------|
| canthus | | | |
| SCCA, Left eyelid and canthus | C44.129 | C44.129 | |
| SCCA, right ear | C44.222 | C44.222 | |
| SCCA, left ear | C44.229 | C44.229 | |
| | | | |
| SCCA, Other Parts of Face | C44.329 | C44.329 | |
| | | | |
| SCCA, overlapping sites | C44.82 | C44.82 | |
| | | | |
| SCCA, lip | C44.02 | C44.02 | |
| | | | |
| SCCA, Nose | C44.321 | C44.321 | |
| | | | |
| SCCA, Scalp & Neck | C44.42 | C44.42 | |
| | | | |
| SCCA, Trunk | C44.529 | C44.529 | |
| | | | |
| Stasis Dermatitis | I83.10 | I83.10 | |
| Stasis Ulcer, leg, right | I83.11 | I83.11 | |
| Stasis Ulcer, leg, left | I83.12 | I83.12 | |
| Strawberry nevus | Q82.5 | Q82.5 | |
| | | | |
| Sunburn, 1 st degree | L55.0 | L55.0 | |
| Sunburn, 2 nd degree | L55.1 | L55.1 | |
| Sunburn, 3 rd degree | L55.2 | L55.2 | |
| Sycosis barbae | L73.8 | L73.8 | |
| | | | |
| T | | | |
| Telangiectasia | I78.9 | I78.9 | |
| | | | |
| Telogen effluvium | L65.0 | L65.0 | |
| | | | |
| Thrombocytopenia | D69.6 | D69.6 | |
| Thrombocytopenia, due to drugs | D69.59 | D69.59 | |
| Thrombocytopenia, primary | | | |
| | | | |
| Thrush candidal stomatitis, | B37.0 | B37.0 | |
| | | | |
| Tinea barbae, beard | B35.0 | B35.0 | |
| | | | |
| Tinea capitis, Kerion | B35.0 | B35.0 | |
| | | | |
| Tinea corporis | B35.4 | B35.4 | |
| | | | |
| Tinea cruris | B35.6 | B35.6 | |
| | | | |

| Diagnosis | Alphanumeric | Tabular Code | Comments |
|---|--------------|--------------|----------|
| Tinea manuum | B35.2 | B35.2 | |
| | | | |
| Tinea pedis | B35.3 | B35.3 | |
| | | | |
| Tinea versicolor | B36.0 | B36.0 | |
| | | | |
| Tinea nigra | B36.1 | B36.1 | |
| | | | |
| Tongue, hypertrophy | K14.8 | K14.8 | |
| | | | |
| | | | |
| U | | | |
| | | | |
| <p>Ulcer Stages: Stage 1) Pre-ulcer, Persistent focal edema Stage 2) Abrasion, partial thickness skin loss Stage 3) Full thickness skin loss with full thickness skin loss with damage or necrosis of sub Q tissue Stage 4) With necrosis to muscle, tendon, bone Add stage number to code for 6th character e.g. stage 1 Right elbow L89.01# L89.011 Code first, underlying condition such as venous ulcer (I83.0- I83.2-) or Diabetes E08.621</p> | | | |
| | | | |
| Ulcer, Leg, non-pressure, chronic | | | |
| """" Lower leg, right, stage 1 | L97.111 | L97.111 | |
| """" Lower leg, right, stage 2 (fat exposed) | L97.112 | L97.112 | |
| """" Lower leg, right, stage 3, muscle | L97.113 | L97.113 | |
| """" Lower leg, left, stage 1 | L97.921 | L97.921 | |
| """" Lower leg, left, stage 2 (fat exposed) | L97.922 | L97.922 | |
| """" Lower leg, left, stage 3, muscle | L97.923 | L97.923 | |
| | | | |
| Ulcer, pressure (decubitus) | | | |
| """" sacral, stage 1 | L89.151 | L89.151 | |
| """" sacral, stage 2 | L89.152 | L89.152 | |
| """" sacral, stage 3 | L89.153 | L89.153 | |
| """" right ankle stage 1 | L89.511 | L89.511 | |
| """" right ankle stage 2 | L89.512 | L89.512 | |
| """" right ankle stage 3 | L89.513 | L89.513 | |
| """" left ankle stage 1 | L89.521 | L89.521 | |
| """" left ankle stage 2 | L89.522 | L89.522 | |
| """" left ankle stage 3 | L89.523 | L89.523 | |
| | | | |
| | | | |
| Urticaria, allergic | L50.0 | L50.0 | |
| Urticaria, cholinergic | L50.5 | L50.5 | |

| Diagnosis | Alphanumeric | Tabular Code | Comments |
|----------------------------------|---------------------|---------------------|------------------------------------|
| Urticaria, contact | L50.6 | L56.6 | |
| Urticaria, chronic | L50.8 | L50.8 | |
| Urticaria, giant | T78.3 | T78.3 | 7 th character required |
| Urticaria, heat & cold | L50.2 | L50.2 | |
| | | | |
| Urticaria pigmentosa | Q82.2 | Q82.2 | |
| | | | |
| Urticaria, solar | L56.3 | L56.3 | |
| | | | |
| V | | | |
| | | | |
| Vasculitis, allergic | D69.0 | D69.0 | |
| Vasculitis, leukocytoclastic | D69.0 | D69.0 | |
| Vasculitis, skin | L95.9 | L95.9 | |
| | | | |
| Verruca, genital & anal | A63.0 | A63.0 | Includes condyloma acuminata |
| | | | |
| Verruca plana | B07.8 | B07.8 | |
| | | | |
| Verruca plantaris | B07.0 | B07.0 | |
| | | | |
| Verruca vulgaris | B07.8 | B07.8 | |
| | | | |
| Vitiligo | L80 | L80 | Excludes eyelids & vulva |
| | | | |
| W | | | |
| | | | |
| Warts- see Verruca | | | |
| | | | |
| | | | |
| X | | | |
| | | | |
| Xanthoma, NOS | E78.2 | E78.2 | |
| Xanthelasma, eyelid, right upper | H02.61 | H02.61 | |
| Xanthelasma, eyelid, left upper | H02.64 | H02.64 | |
| Xanthelasma, eyelid, right lower | H02.62 | H02.62 | |
| Xanthelasma, eyelid, left lower | H02.65 | H02.65 | |
| | | | |
| Xerosis, dry skin | L85.3 | L85.3 | |
| | | | |
| | | | |
| Y | | | |
| | | | |

| Diagnosis | Alphanumeric | Tabular Code | Comments |
|----------------------------|---------------------|---------------------|--|
| Yellow Hairy Tongue | K14.3 | K14.3 | Add: ETOH use Z72.0, Hx tobacco use Z87.891 |
| | | | |
| Z | | | |
| | | | |
| | | | |
| | | | |
| | | | |